

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2496**PERIOD OF RECORD: **2020-2024**MONTH: **January**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.65	0.65	2.61	2.61	0.65	2.61	3.92	16.34
0100	0.00	0.00	0.00	0.65	2.58	2.58	0.65	2.58	3.23	12.26
0200	0.00	0.00	0.00	0.65	1.95	2.60	0.65	1.95	3.25	6.49
0300	0.00	0.00	0.00	0.65	1.29	2.58	0.65	1.29	3.23	3.23
0400	0.00	0.00	0.00	0.00	0.65	1.31	0.00	0.65	1.31	1.96
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1000	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1200	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	3.23
1300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	5.81
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.65
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.65	1.29	1.29	1.29	1.94	2.58	10.97
2300	0.00	0.00	0.00	0.65	1.96	2.61	1.31	1.96	2.61	12.42
MEAN	0.00	0.00	0.04	0.24	0.76	1.08	0.32	0.80	1.36	5.01

REMARKS:

AERODROME: **Buriram Airport**

RWY (TDZ): **04R**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2277**

PERIOD OF RECORD: **2020-2024**

MONTH: **February**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	22.70
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.55	17.73
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.77
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.34
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.55
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.42
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.70
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.70	0.00	0.00	0.70	0.70
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.84
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.55
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.50
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.71
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.08
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.35	6.10

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2473**PERIOD OF RECORD: **2020-2024**MONTH: **March**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.25	22.73
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	11.61
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.60
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.95
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.60
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.58
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00	100.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	13.07
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	3.29	18.42
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.73	5.10

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2398**PERIOD OF RECORD: **2020-2024**MONTH: **April**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.68	1.35	0.00	0.68	3.38	17.57
0100	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.34	7.38
0200	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.34	3.36
0300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.33
0400	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.33
0500	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	0.67
0600	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.33
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67
0800	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.33
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1100	0.00	0.00	0.00	0.68	0.68	0.68	0.00	0.68	2.04	2.72
1200	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.34
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34	12.75
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	4.67	22.67
MEAN	0.00	0.00	0.00	0.04	0.08	0.50	0.00	0.08	1.21	4.84

REMARKS:

AERODROME: Buriram Airport

RWY (TDZ): 04R

LATITUDE: 15° 13' 45" N LONGITUDE: 103° 15' 11" E

ELEVATION ABOVE MSL: 590ft

TOTAL NUMBER OF OBSERVATIONS: 2478

PERIOD OF RECORD: 2020-2024

MONTH: May

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.65	0.65	0.65	1.96	3.27	7.84
0100	0.00	0.00	0.00	0.00	0.65	2.60	0.00	1.30	3.25	4.55
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.55
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.90
0400	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.94
0500	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.95
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.94
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.23	4.52
0800	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
0900	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
1000	0.00	0.00	0.00	0.00	0.65	1.30	0.00	1.30	1.95	2.60
1100	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.00	1.96	2.61
1200	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.29	1.29
1300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.30
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.00	25.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.65	0.65	0.00	0.65	1.29	7.10
2300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	2.61	15.03
MEAN	0.00	0.00	0.00	0.00	0.16	0.69	0.04	0.36	1.49	3.91

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2394**PERIOD OF RECORD: **2020-2024**MONTH: **June**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	0.67	1.33
0100	0.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	2.00	4.00
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	2.67
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.33
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33	4.67
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.36
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35	2.03
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.67
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	4.03
MEAN	0.00	0.00	0.00	0.00	0.04	0.21	0.00	0.08	0.46	1.67

REMARKS:

AERODROME: **Buriram Airport**

LATITUDE: **15° 13' 45" N**

RWY (TDZ): **04R**

LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

MONTH: **July**

TOTAL NUMBER OF OBSERVATIONS: **2472**

PERIOD OF RECORD: **2020-2024**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.65	1.30	0.00	1.30	3.25	9.09
0100	0.00	0.00	0.00	0.00	0.65	2.58	0.00	0.65	3.23	10.32
0200	0.00	0.00	0.00	0.00	0.00	1.29	0.00	0.00	1.94	8.39
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.87
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.92
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.61
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.31	2.61
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	2.58
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65	2.58
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.30	1.95	3.25
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	1.94
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.29
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	2.63
1300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	1.29	1.94	3.87
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65	1.30	4.55
2300	0.00	0.00	0.00	0.00	0.00	1.30	0.65	1.95	3.25	10.39
MEAN	0.00	0.00	0.00	0.00	0.08	0.49	0.16	0.57	1.42	4.73

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2483**PERIOD OF RECORD: **2020-2024**MONTH: **August**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.95	8.44
0100	0.00	0.00	0.00	0.00	0.00	1.96	0.00	0.00	1.96	5.88
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29
0300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	2.60
0400	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.30	1.95
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	1.30
0600	0.00	0.00	0.00	0.00	0.65	0.65	0.00	0.65	1.29	2.58
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.29
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.94	1.94
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.94
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.65	1.29	1.29	0.65	1.94	3.23	5.81
2300	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	2.58	10.97
MEAN	0.00	0.00	0.00	0.04	0.12	0.40	0.04	0.24	1.17	3.10

REMARKS:

AERODROME: **Buriram Airport**

LATITUDE: **15° 13' 45" N**

RWY (TDZ): **04R**

LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2401**

PERIOD OF RECORD: **2020-2024**

MONTH: **September**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	3.33	8.00	0.67	4.00	8.67	22.00
0100	0.00	0.00	0.00	0.00	2.67	10.67	0.00	3.33	12.00	20.00
0200	0.00	0.00	0.00	0.00	1.33	5.33	0.00	1.33	5.33	18.67
0300	0.00	0.00	0.00	0.00	0.67	1.34	0.00	1.34	2.01	13.42
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	7.33
0500	0.00	0.00	0.00	0.00	0.67	0.67	0.00	2.01	2.68	4.03
0600	0.00	0.00	0.00	0.00	0.68	0.68	0.00	1.35	2.70	5.41
0700	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	1.33	5.33
0800	0.00	0.00	0.00	0.00	1.33	1.33	0.00	2.00	2.00	4.00
0900	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	0.67	2.00
1000	0.00	0.00	0.00	0.00	0.68	0.68	0.00	1.35	1.35	2.70
1100	0.00	0.00	0.00	0.00	0.67	1.34	0.00	0.67	2.01	4.70
1200	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.67	1.33	3.33
1300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.33	2.67
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	4.00	5.33	0.00	4.67	6.00	12.67
2300	0.00	0.00	0.00	0.00	0.68	3.42	0.00	2.05	8.22	22.60
MEAN	0.00	0.00	0.00	0.00	1.12	2.58	0.04	1.67	3.62	9.37

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2482**PERIOD OF RECORD: **2020-2024**MONTH: **October**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	4.61	6.58	0.00	5.26	12.50	24.34
0100	0.00	0.00	0.00	0.00	2.63	5.92	0.00	2.63	7.89	17.11
0200	0.00	0.00	0.00	0.00	1.32	3.29	0.00	1.97	3.95	17.76
0300	0.00	0.00	0.00	0.00	0.66	1.99	0.00	1.32	2.65	11.26
0400	0.00	0.00	0.00	0.66	1.32	2.63	0.66	1.32	3.95	7.89
0500	0.00	0.00	0.00	0.00	0.00	2.63	0.00	0.00	3.29	7.89
0600	0.00	0.00	0.00	0.00	0.00	1.97	0.00	0.00	2.63	4.61
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	5.23
0800	0.00	0.00	0.00	0.00	0.65	1.96	0.00	1.96	5.23	5.23
0900	0.00	0.00	0.00	0.00	2.61	2.61	0.00	2.61	3.27	5.88
1000	0.00	0.00	0.00	0.00	1.97	2.63	0.00	2.63	2.63	4.61
1100	0.00	0.00	0.00	0.00	1.32	3.31	0.00	1.32	3.97	5.30
1200	0.00	0.00	0.00	0.00	1.32	1.97	0.00	1.32	1.97	5.26
1300	0.00	0.00	0.00	0.00	0.66	1.97	0.00	0.66	1.97	5.92
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.50
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.69
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.09
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.66	3.31	4.64	1.32	3.97	7.28	12.58
2300	0.00	0.00	0.00	0.66	5.26	6.58	1.32	7.24	11.18	27.63
MEAN	0.00	0.00	0.00	0.12	1.69	3.10	0.20	2.10	4.59	10.48

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Buriram Airport**RWY (TDZ): **04R**LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**ELEVATION ABOVE MSL: **590ft**TOTAL NUMBER OF OBSERVATIONS: **2413**PERIOD OF RECORD: **2020-2024**MONTH: **November**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.67	1.33	0.00	1.33	2.00	9.33
0100	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	0.67	1.33
0200	0.00	0.00	0.00	0.00	0.00	0.68	0.00	0.00	0.68	0.68
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.00
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.67	2.01	8.72
MEAN	0.00	0.00	0.00	0.00	0.08	0.21	0.00	0.17	0.41	1.57

REMARKS:

AERODROME: **Buriram Airport**

RWY (TDZ): **04R**

LATITUDE: **15° 13' 45" N** LONGITUDE: **103° 15' 11" E**

ELEVATION ABOVE MSL: **590ft**

TOTAL NUMBER OF OBSERVATIONS: **2494**

PERIOD OF RECORD: **2020-2024**

MONTH: **December**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	3.87
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.60
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.58
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.68

REMARKS: