

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2623

PERIOD OF RECORD: 2020-2024

MONTH: January

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.65	1.30	1.95	0.65	1.30	5.19	17.53
0100	0.00	0.00	0.00	0.00	0.00	1.94	0.65	1.29	3.23	12.26
0200	0.00	0.00	0.00	0.00	0.65	1.96	0.00	0.65	1.96	3.27
0300	0.00	0.00	0.00	0.00	0.00	1.29	0.00	0.00	1.29	1.29
0400	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.00	1.31	1.31
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
0600	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
0700	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
0800	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
0900	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65	1.29	1.29
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	0.65
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
2200	0.00	0.00	0.65	0.65	1.29	1.29	1.29	1.29	1.29	3.87
2300	0.00	0.00	0.00	0.66	0.66	1.32	1.32	1.32	2.63	5.26
MEAN	0.00	0.00	0.04	0.11	0.23	0.84	0.27	0.38	1.22	3.01

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2399

PERIOD OF RECORD: 2020-2024

MONTH: February

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.71	1.42	1.42	1.42	0.71	1.42	4.96	18.44
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	10.64
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.55
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.70
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.32
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	5.67
MEAN	0.00	0.00	0.04	0.08	0.08	0.08	0.04	0.08	0.42	2.58

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2399

PERIOD OF RECORD: 2020-2024

MONTH: March

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.71	1.42	1.42	1.42	0.71	1.42	4.96	18.44
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	10.64
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.55
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.70
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.32
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	5.67
MEAN	0.00	0.00	0.04	0.08	0.08	0.08	0.04	0.08	0.42	2.58

REMARKS:

AERODROME: **Roi-et Airport**

RWY (TDZ): **18R**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2537**

PERIOD OF RECORD: **2020-2024**

MONTH: **April**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.75
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.70
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.03
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	2.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.68	1.35
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34	1.34
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.03
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	14.97
MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.20	2.48

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et Airport**RWY (TDZ): **18R**LATITUDE: **16° 7' 0" N**LONGITUDE: **103° 46' 25" E**ELEVATION ABOVE MSL: **451ft**TOTAL NUMBER OF OBSERVATIONS: **2621**PERIOD OF RECORD: **2020-2024**MONTH: **May**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.00	1.31	4.58
0100	0.00	0.00	0.00	0.00	0.00	3.25	0.00	0.00	4.55	5.84
0200	0.00	0.00	0.00	0.00	0.65	2.61	0.00	0.65	2.61	7.19
0300	0.00	0.00	0.00	0.00	0.00	1.30	0.00	0.00	1.30	5.19
0400	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.94
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.58
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.94
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.87
1000	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.29
1100	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65	2.61	3.27
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.30
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.92
MEAN	0.00	0.00	0.00	0.00	0.04	0.61	0.04	0.08	1.03	2.82

REMARKS:

AERODROME: **Roi-et Airport**

RWY (TDZ): **18R**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2543**

PERIOD OF RECORD: **2020-2024**

MONTH: **June**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	2.00	2.67
0100	0.00	0.00	0.00	0.00	0.00	4.67	0.00	0.00	4.67	7.33
0200	0.00	0.00	0.00	0.00	0.67	2.67	0.00	0.67	2.67	6.00
0300	0.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	2.00	4.67
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.67	0.67	0.67	0.67	1.33
1000	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	0.67	0.67
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	1.36
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.34	3.36
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
1400	0.00	0.00	0.00	0.00	0.67	0.67	0.00	0.67	1.33	1.33
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	1.33
MEAN	0.00	0.00	0.00	0.00	0.12	0.83	0.04	0.20	0.98	2.16

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2616

PERIOD OF RECORD: 2020-2024

MONTH: July

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	2.60	0.00	0.00	2.60	5.19
0100	0.00	0.00	0.00	0.00	0.65	5.84	0.00	1.30	6.49	12.34
0200	0.00	0.00	0.00	0.00	0.65	4.52	0.00	0.65	5.16	14.84
0300	0.00	0.00	0.00	0.00	0.00	2.58	0.00	0.00	2.58	9.68
0400	0.00	0.00	0.00	0.00	0.00	1.96	0.00	0.00	2.61	6.54
0500	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.00	1.96	5.23
0600	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	3.27
0700	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	1.29	3.23
0800	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	2.58
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.58
1100	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	1.32	2.65
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	3.27
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
2200	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.66	0.66	1.97
2300	0.00	0.00	0.00	0.00	0.00	3.90	0.00	0.65	3.90	5.19
MEAN	0.00	0.00	0.00	0.00	0.08	1.53	0.00	0.19	1.83	4.78

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2620

PERIOD OF RECORD: 2020-2024

MONTH: August

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.65	2.60	0.00	0.65	2.60	5.84
0100	0.00	0.00	0.00	0.00	0.00	5.23	0.65	0.65	5.23	9.15
0200	0.00	0.00	0.00	0.00	0.00	1.29	0.00	0.00	2.58	12.90
0300	0.00	0.00	0.00	0.65	0.65	1.30	0.00	0.65	1.30	8.44
0400	0.00	0.00	0.00	0.65	0.65	0.65	0.65	0.65	0.65	3.87
0500	0.00	0.00	0.00	0.00	0.00	1.30	0.00	0.00	1.95	1.95
0600	0.00	0.00	0.00	0.00	0.00	1.29	0.00	0.00	1.29	2.58
0700	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	1.29	2.58
0800	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.65	1.29
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.96
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29
MEAN	0.00	0.00	0.00	0.08	0.11	0.88	0.08	0.19	1.11	3.32

REMARKS:

AERODROME CLIMATOLOGICAL SUMMARY – TABULAR FORM

MODEL A

AERODROME: **Roi-et Airport**RWY (TDZ): **18R**LATITUDE: **16° 7' 0" N**LONGITUDE: **103° 46' 25" E**ELEVATION ABOVE MSL: **451ft**TOTAL NUMBER OF OBSERVATIONS: **2532**PERIOD OF RECORD: **2020-2024**MONTH: **September**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	1.33	7.33	0.00	1.33	7.33	17.33
0100	0.00	0.00	0.00	0.00	2.01	10.07	0.00	2.01	10.07	21.48
0200	0.00	0.00	0.00	0.00	1.33	13.33	0.00	1.33	14.00	25.33
0300	0.00	0.00	0.00	0.00	1.35	8.78	0.00	1.35	8.78	20.27
0400	0.00	0.00	0.00	0.00	1.33	5.33	0.00	1.33	6.00	12.00
0500	0.00	0.00	0.00	0.00	0.00	3.36	0.00	0.00	3.36	10.74
0600	0.00	0.00	0.00	0.00	0.00	3.38	0.00	0.00	4.05	6.76
0700	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.00	1.33	4.00
0800	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.00	1.33	4.67
0900	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.67	3.33	4.67
1000	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.67	2.01
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.01
1200	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.34	2.01
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.68
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	2.03	0.00	0.00	2.70	7.43
2300	0.00	0.00	0.00	0.00	2.07	4.83	0.00	2.07	5.52	11.03
MEAN	0.00	0.00	0.00	0.00	0.55	3.75	0.00	0.59	4.19	9.12

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2581

PERIOD OF RECORD: 2020-2024

MONTH: October

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32	9.27
0100	0.00	0.00	0.00	0.00	0.00	1.32	0.00	0.00	1.32	5.26
0200	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	0.66	3.95
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32
0600	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.66	0.66	1.32
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.63
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.67
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.63	8.55
MEAN	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.04	0.39	2.56

REMARKS:

AERODROME: **Roi-et Airport**

RWY (TDZ): **18R**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2548**

PERIOD OF RECORD: **2020-2024**

MONTH: **November**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.33
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.67	2.00
2300	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.67	1.33	5.33
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.08	0.12	0.71

REMARKS:

AERODROME: **Roi-et Airport**

RWY (TDZ): **18R**

LATITUDE: **16° 7' 0" N**

LONGITUDE: **103° 46' 25" E**

ELEVATION ABOVE MSL: **451ft**

TOTAL NUMBER OF OBSERVATIONS: **2631**

PERIOD OF RECORD: **2020-2024**

MONTH: **December**

FREQUENCIES (PERCENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	–	–	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.87
0100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95
0200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0700	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0800	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0900	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1400	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1600	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	0.65	2.58
2300	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	1.29
MEAN	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.04	0.11	0.57

REMARKS: