

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2623

PERIOD OF RECORD: 2020-2024

MONTH: January

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	1	2	3	1	2	8	27
0100	0	0	0	0	0	3	1	2	5	19
0200	0	0	0	0	1	3	0	1	3	5
0300	0	0	0	0	0	2	0	0	2	2
0400	0	0	0	0	0	2	0	0	2	2
0500	0	0	0	0	0	0	0	0	0	1
0600	0	0	0	0	0	1	0	0	1	1
0700	0	0	0	0	0	1	0	0	1	1
0800	0	0	0	0	0	1	0	0	1	1
0900	0	0	0	0	0	1	1	1	2	2
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	1	0	0	1	1
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	1
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	1
1600	0	0	0	0	0	0	0	0	0	1
2200	0	0	1	1	2	2	2	2	2	6
2300	0	0	0	1	1	2	2	2	4	8
TOTAL	0	0	1	3	6	22	7	10	32	79

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2399

PERIOD OF RECORD: 2020-2024

MONTH: February

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	1	2	2	2	1	2	7	26
0100	0	0	0	0	0	0	0	0	1	15
0200	0	0	0	0	0	0	0	0	0	5
0300	0	0	0	0	0	0	0	0	0	0
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	1	1
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	1
1400	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	0	6
2300	0	0	0	0	0	0	0	0	1	8
TOTAL	0	0	1	2	2	2	1	2	10	62

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2399

PERIOD OF RECORD: 2020-2024

MONTH: March

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	1	2	2	2	1	2	7	26
0100	0	0	0	0	0	0	0	0	1	15
0200	0	0	0	0	0	0	0	0	0	5
0300	0	0	0	0	0	0	0	0	0	0
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	1	1
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	1
1400	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	0	6
2300	0	0	0	0	0	0	0	0	1	8
TOTAL	0	0	1	2	2	2	1	2	10	62

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2537

PERIOD OF RECORD: 2020-2024

MONTH: April

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	0	19
0100	0	0	0	0	0	0	0	0	0	7
0200	0	0	0	0	0	0	0	0	0	3
0300	0	0	0	0	0	0	0	0	0	1
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	1	1	3
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	1
1100	0	0	0	0	0	0	0	1	1	2
1200	0	0	0	0	0	0	0	0	2	2
1300	0	0	0	0	0	0	0	0	0	0
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
1700	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	0	3
2300	0	0	0	0	0	0	0	0	1	22
TOTAL	0	0	0	0	0	0	0	2	5	63

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2621

PERIOD OF RECORD: 2020-2024

MONTH: May

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	2	0	0	2	7
0100	0	0	0	0	0	5	0	0	7	9
0200	0	0	0	0	1	4	0	1	4	11
0300	0	0	0	0	0	2	0	0	2	8
0400	0	0	0	0	0	1	0	0	1	3
0500	0	0	0	0	0	0	0	0	0	2
0600	0	0	0	0	0	0	0	0	1	4
0700	0	0	0	0	0	0	0	0	0	1
0800	0	0	0	0	0	0	0	0	1	3
0900	0	0	0	0	0	0	0	0	1	6
1000	0	0	0	0	0	1	0	0	1	2
1100	0	0	0	0	0	1	1	1	4	5
1200	0	0	0	0	0	0	0	0	1	2
1300	0	0	0	0	0	0	0	0	1	1
1400	0	0	0	0	0	0	0	0	0	2
1500	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	0	2
2300	0	0	0	0	0	0	0	0	1	6
TOTAL	0	0	0	0	1	16	1	2	27	74

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2543

PERIOD OF RECORD: 2020-2024

MONTH: June

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	3	0	0	3	4
0100	0	0	0	0	0	7	0	0	7	11
0200	0	0	0	0	1	4	0	1	4	9
0300	0	0	0	0	0	3	0	0	3	7
0400	0	0	0	0	0	0	0	0	0	2
0500	0	0	0	0	0	0	0	0	0	2
0600	0	0	0	0	0	0	0	0	0	3
0700	0	0	0	0	0	0	0	0	0	1
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	1	1	1	1	2
1000	0	0	0	0	1	1	0	1	1	1
1100	0	0	0	0	0	0	0	0	1	2
1200	0	0	0	0	0	0	0	1	2	5
1300	0	0	0	0	0	0	0	0	0	1
1400	0	0	0	0	1	1	0	1	2	2
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	0	0	1
2300	0	0	0	0	0	1	0	0	1	2
TOTAL	0	0	0	0	3	21	1	5	25	55

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2616

PERIOD OF RECORD: 2020-2024

MONTH: July

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	4	0	0	4	8
0100	0	0	0	0	1	9	0	2	10	19
0200	0	0	0	0	1	7	0	1	8	23
0300	0	0	0	0	0	4	0	0	4	15
0400	0	0	0	0	0	3	0	0	4	10
0500	0	0	0	0	0	2	0	0	3	8
0600	0	0	0	0	0	1	0	0	1	5
0700	0	0	0	0	0	1	0	0	2	5
0800	0	0	0	0	0	1	0	0	1	4
0900	0	0	0	0	0	0	0	0	0	3
1000	0	0	0	0	0	0	0	0	1	4
1100	0	0	0	0	0	1	0	0	2	4
1200	0	0	0	0	0	0	0	0	1	5
1300	0	0	0	0	0	0	0	0	0	0
1400	0	0	0	0	0	0	0	0	0	1
2200	0	0	0	0	0	1	0	1	1	3
2300	0	0	0	0	0	6	0	1	6	8
TOTAL	0	0	0	0	2	40	0	5	48	125

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2620

PERIOD OF RECORD: 2020-2024

MONTH: August

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	1	4	0	1	4	9
0100	0	0	0	0	0	8	1	1	8	14
0200	0	0	0	0	0	2	0	0	4	20
0300	0	0	0	1	1	2	0	1	2	13
0400	0	0	0	1	1	1	1	1	1	6
0500	0	0	0	0	0	2	0	0	3	3
0600	0	0	0	0	0	2	0	0	2	4
0700	0	0	0	0	0	1	0	1	2	4
0800	0	0	0	0	0	1	0	0	1	2
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	1
1100	0	0	0	0	0	0	0	0	0	3
1200	0	0	0	0	0	0	0	0	0	1
1300	0	0	0	0	0	0	0	0	1	1
1400	0	0	0	0	0	0	0	0	1	3
2200	0	0	0	0	0	0	0	0	0	1
2300	0	0	0	0	0	0	0	0	0	2
TOTAL	0	0	0	2	3	23	2	5	29	87

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N

LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2532

PERIOD OF RECORD: 2020-2024

MONTH: September

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	2	11	0	2	11	26
0100	0	0	0	0	3	15	0	3	15	32
0200	0	0	0	0	2	20	0	2	21	38
0300	0	0	0	0	2	13	0	2	13	30
0400	0	0	0	0	2	8	0	2	9	18
0500	0	0	0	0	0	5	0	0	5	16
0600	0	0	0	0	0	5	0	0	6	10
0700	0	0	0	0	0	2	0	0	2	6
0800	0	0	0	0	0	2	0	0	2	7
0900	0	0	0	0	0	2	0	1	5	7
1000	0	0	0	0	0	1	0	0	1	3
1100	0	0	0	0	0	0	0	0	1	3
1200	0	0	0	0	0	1	0	0	2	3
1300	0	0	0	0	0	0	0	0	1	4
1400	0	0	0	0	0	0	0	0	0	1
2000	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	3	0	0	4	11
2300	0	0	0	0	3	7	0	3	8	16
TOTAL	0	0	0	0	14	95	0	15	106	231

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2581

PERIOD OF RECORD: 2020-2024

MONTH: October

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	2	14
0100	0	0	0	0	0	2	0	0	2	8
0200	0	0	0	0	0	1	0	0	1	6
0300	0	0	0	0	0	0	0	0	0	4
0400	0	0	0	0	0	0	0	0	0	1
0500	0	0	0	0	0	0	0	0	0	2
0600	0	0	0	0	0	1	0	1	1	2
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	1
1000	0	0	0	0	0	0	0	0	0	4
1100	0	0	0	0	0	0	0	0	0	1
1200	0	0	0	0	0	0	0	0	0	1
1300	0	0	0	0	0	0	0	0	0	1
1400	0	0	0	0	0	0	0	0	0	1
2200	0	0	0	0	0	0	0	0	0	7
2300	0	0	0	0	0	0	0	0	4	13
TOTAL	0	0	0	0	0	4	0	1	10	66

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2548

PERIOD OF RECORD: 2020-2024

MONTH: November

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	0	5
0100	0	0	0	0	0	0	0	0	0	0
0200	0	0	0	0	0	0	0	0	0	1
0300	0	0	0	0	0	0	0	0	0	1
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	0
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	0	0	1	1	3
2300	0	0	0	0	0	1	0	1	2	8
TOTAL	0	0	0	0	0	1	0	2	3	18

REMARKS:

AERODROME: Roi-et Airport

RWY (TDZ): 18R

LATITUDE: 16° 7' 0" N LONGITUDE: 103° 46' 25" E

ELEVATION ABOVE MSL: 451ft

TOTAL NUMBER OF OBSERVATIONS: 2631

PERIOD OF RECORD: 2020-2024

MONTH: December

FREQUENCIES OF THE OCCURRENCE OF RUNWAY VISUAL RANGE/VISIBILITY (BOTH IN METRES) AND/OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES										
TIME (UTC)	RVR (METRES)/H _s (FEET)						VIS (METRES)/H _s (FEET)			
	≤ 50	≤ 175	≤ 300	≤ 550	≤ 800	< 1500	≤ 800	≤ 1500	≤ 3000	≤ 5000
	—	—	≤ 100	≤ 200	≤ 500	≤ 1000	≤ 200	≤ 500	≤ 1000	≤ 1500
0000	0	0	0	0	0	0	0	0	0	6
0100	0	0	0	0	0	0	0	0	0	3
0200	0	0	0	0	0	0	0	0	0	0
0300	0	0	0	0	0	0	0	0	0	0
0400	0	0	0	0	0	0	0	0	0	0
0500	0	0	0	0	0	0	0	0	0	0
0600	0	0	0	0	0	0	0	0	0	0
0700	0	0	0	0	0	0	0	0	0	0
0800	0	0	0	0	0	0	0	0	0	0
0900	0	0	0	0	0	0	0	0	0	0
1000	0	0	0	0	0	0	0	0	0	0
1100	0	0	0	0	0	0	0	0	0	0
1200	0	0	0	0	0	0	0	0	0	0
1300	0	0	0	0	0	0	0	0	0	0
1400	0	0	0	0	0	0	0	0	0	0
1500	0	0	0	0	0	0	0	0	0	0
1600	0	0	0	0	0	0	0	0	0	0
2200	0	0	0	0	0	1	0	1	1	4
2300	0	0	0	0	0	0	0	0	2	2
TOTAL	0	0	0	0	0	1	0	1	3	15

REMARKS: